

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001859220017-6

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001859220017-6"

MIKHAYLOV, M. A.; VEDERNIKOVA, T.I.

Pyrohydrolysis of calcium fluoride and fluorite under dynamic conditions with the addition of silicon dioxide. Izv. Sib. otd. AN SSSR no.3:49-61 '59. (MIRA 12:9)

1. Dal'nevostochnyy filial Sibirskogo otdeleniya Akademii nauk SSSR.
(Calcium fluoride) (Fluorite) (Hydrolysis)

MIKHAYLOV, N.A.; VEDERNIKOVA, T.I.; OZHIGOV, Ye. P.

Pyrohydrolysis of quartz-carbonate datolite ores under dynamic conditions. Izv.Sib.Otd.AN SSSR no.2:68-75 '61. (MIRA 14:3)

1. Dal'nevostochnyy filial Sibirskogo otdeleniya AN SSSR, Vladivostok.
(Hydrolysis) (Datolite)

MIKHAYLOV, M.A.; VEDERNIKOVA, T.I.

Pyrohydrolysis of magnesium, strontium, and barium fluorides under dynamic conditions. Soob.DVFAN SSSR no. 15:37-41 '62. (MIRA 17:9)

1. Dal'nevostochnyy filial imeni Komarova Sibirskogo otdeleniya AN SSSR.

VEDERNIKOV, V.I.

(n-1)-Parametric families of hyperspheres in M_n . Izv.vys.ucheb.
zav.; mat. no.2:35-43 '62. (MIRA 15:8)

1. Voronezhskiy gosudarstvennyy universitet.
(Geometry, Differential—Projective) (Hyperspace)

SPIRIDONOVA, Ol'ga Stepanovna; SAPOZHNIKOVA, Renata Pavlovna;
VEDERNIKOVA, Valentina Anatol'yevna; STOLYAROV, K.P., red.

[Methods of the phase analysis of nickel-based alloys] Me-
tody fazovogo analiza splavov na osnove nikelia. Leningrad,
1964. 29 p. (MIRA 18:3)

SKLYAR, V.T., kand.khim.nauk; SABIROVA, G.V., kand.khim.nauk; ZHURBA,
A.S., kand.khim.nauk; ROZHIN, V.P., inzh.; GONOPOL'SKIY, L.Ye.,
inzh.; ZVEREVA, A.D., inzh.; CHUCHVARA, P.G., inzh.; Prinimali
uchastiye: KOVAL'CHUK, L.V.; TERENT'YEVA, V.N.; VEDERNIKOVA, V.T.

Production of the RnF-12 freon oil from Anastas'yevka petroleum.
Nauch.zap.Ukrniiproekta no.8:48-57 '62. (MIRA 16:1)
(Freons) (Lvov—Petroleum—Refining)

VANDERHART, W. S.

Syphilis

Accumulation of arsenoxides in the liver of syphilitic rabbits. Test. ven. i derm.
No. 5, 1952

9. Monthly List of Russian Accessions, Library of Congress, December 195~~8~~⁴, Uncl.
2

VEDERNIKOVA, Ye.I.

Survey of research on the improvement of the quality and the increase
in the biological value of food products. Trudy UNIIPP no.2:214-
231 '59. (MIRA 14:1)

(Food research)

VEDERNIKOVA, Ye.I.; LYUSHINSKAYA, I.I.; LINETSKAYA, G.N.; POLYAK, M.V.

Maltase activity of enzyme preparations of molds used for baking.
Mikrobiologiya 31 no.6:1087-1091 N-D '62. (MIRA 16'3)

1. Ukrainskiy nauchno-issledovatel'skiy institut pishchevoy
promyshlennosti.
(MOLDS (BOTANY)) (GLUCOSIDASE) (BAKING)

COMMON ELEMENTS										PROPERTY MODE									
VEDERNIKOVA										B-I-2									
<p>Phenol content of the tar from Sivinsk (Saratov) shales. V. P. Gerasimov and E. I. Vlasovskaya (Tran. Saratov Univ., 1984, 11, No. 2, 55-56).—The fraction, of b.p. 175–280°, contained 11.5% of phenols, amongst which o-, m-, and p-cresol, but not PhOH, were identified.</p>																			
METALLURGICAL LITERATURE CLASSIFICATION										FROM SOURCE									
<p>10000 11000 12000 13000 14000 15000 16000 17000 18000 19000</p>										<p>20000 21000 22000 23000 24000 25000 26000 27000 28000 29000</p>									

USSR/Cultivated Plants. Grains.

M

Abs Jour: Ref Zhur-Biol., No 5, 1958, 20286.

Author : Ye. I. Vedernikova

Inst : Not given.

Title : Requirements in Corn Varieties for the Food Production
Industry.
(Trebovaniya k sortam kukuruzy so storony pishchevoy
promyshlennosti).

Orig Pub: V sb.: Vopr. metodiki selektsii pshenitsy i kukuruzy.
Khar'kov. Un-t, 1957, 231-236.

Abstract: No abstract.

Card : 1/1

VEDERNIKOVA, Ye. I.
~~VEDERNIKOVA, Ye. I.~~

Use of silicon coatings for bread pans (from "Brot und Gebäck,"
no.1 1954; "Baking industry," 107 no.1347 1957). Khleb. i kond.
prom. 1 no.12:38-39 D '57. (MIRA 11:1)

1. Ukrainskiy nauchno-issledovatel'skiy institut pishchevoy promysh-
lennosti.

(Silicon organic compounds)
(Bakers and bakeries--Equipment and supplies)

VEDERNIKOVA, Ye. I.

Dissertation: "The Biochemical Nature of the Negative Effect of Wheat Germ on the Baking Properties of Wheat Flour." Cand Biol Sci, Khar'kov State U, Khar'kov, 1954.
(Referativnyy Zhurnal--Khimiya, Moscow, No 11, Jun 54)

SO: SUM 318, 23 Dec 1954

VEDERNIKOVA, E. I.

The biochemical nature of and means of eliminating the unfavorable effects of germs of cereal grains on the quality of baked products of wheat flour. E. I. Vedernikova. *Trudy Ukr. Nauch. Issledovatel. Inst. Pishchecol. Prom.* 1954, No. 1, 60-83; *Referat. Zhur. Khim., Biol. Khim.* 1955, No. 6242.—The presence of grain germs frees a strong process of proteolysis which, activated by glutathione, decomp. the gluten of the flour; in the case of inferior grains the effect of products of fatty decompn. is added. Treating the germs with live steam followed by drying in a current of warm air destroys the glutathione and decomp. the products of oxidative fat decompn., but has no effect on the germ vitamins. B. S. Levine

VEDERNIKOVA, YE. I.

The effect of NaCl on the hydrophilic and plastic properties of gluten as a factor in the improvement of the baking qualities of flour. E. I. Vedernikova, *Trudy Ukr. Nauch. Issledovatel. Inst. Pishchevol. Prom.* 1954, No. 2, 84-92; *Referat. Zhur. Khim., Biol. Khim.* 1955, No. 6243. -- The addn. of NaCl in usual quantities improves the taste of bread, stimulates the hydration of the gluten, raises the gas-retaining properties of the dough, and reduces the retention of H₂O.

B. S. Levine

I 47299-66 EWT(d)/EWP(v)/EWP(z)/EWP(h)/EWP(l)

ACC NR: AP6032522

SOURCE CODE: UR/0413/66/000/017/0101/0101

INVENTOR: Vedeshkin, A. A.

ORG: none

TITLE: Pneumatic multiplication block. Class 42, No. 185585

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 17, 1966, 101

TOPIC TAGS: pneumatic device, pneumatic control system

ABSTRACT: An Author Certificate has been issued for a pneumatic multiplication block containing a pressure controller and pulse-width and amplitude modulators




Fig. 1. Pneumatic multiplication block

1 - Pressure controller; 2, 3 - pulse-width modulator; 4 - amplitude modulator.

(see Fig. 1). To simplify the circuit, the positive chambers of the modulators are connected to the pressure controller. (Orig. art. has: 1 figure. [IV])

SUB CODE: 13/ SUBM DATE: 07Jul65/ ATD PRESS: 5094

Card 1/1 a/s

UDC: 681.142-525

L 43880-66 EMT(d)/EMT(1)/EMC(k)-2/EMP(v)/EMP(k)/EMP(h)/EMP(1) BC
ACC NR: AP6030618 SOURCE CODE: UR/0413/66/000/016/0109/0109

INVENTOR: Vedeshkin, A. A.; Garber, Ye. D. 33

ORG: none 12

TITLE: Pneumatic multiplier-divider. Class 42, No. 185116 14

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 16, 1966, 109

TOPIC TAGS: pneumatic device, pneumatic system

ABSTRACT: This Author Certificate introduces a pneumatic multiplier-divider containing a sawtooth generator and two pulse-width modulators. To reduce error, a 25




Fig. 1. Multiplier-divider

1 - Sawtooth generator; 2, 3 - pulse-width modulators; 4 - computer amplifier.

Card 1/2

UDC: 681.142.07-525

L 43880-66

ACC NR: AP6030618

computer amplifier is used whose input is coupled to the output of one of the pulse-width modulators and whose output is coupled to the input of both pulse-width modulators (see Fig. 1). Orig. art. has: 1 figure. [JR]

SUB CODE: 13/ SUBM DATE: 14Jun65/ ATD PRESS: 5075

Card 2/2 blg

ACCESSION: MR: AFS005250

1 02/2/84/000/ 09/0082/0085

AUTHOR: Abdurakhimov, A. A.; Vedeshkin, L. K.

TITLE: Chlorpromazine therapy of post-traumatic psychoses

SOURCE: Meditsinskiy zhurnal Uzbekistana, no. 9, 1964, 82-85

TOPIC TAGS: neurology, nervous system drug

Abstract: Chlorpromazine is beneficial for new and persistent forms of post-traumatic psychoses and Korsakoff's syndrome. It is effective in post-traumatic epilepsy only when combined with Brodskiy's mixture [formula not given]. Prolonged supportive outpatient treatment with small doses of chlorpromazine and Brodskiy's mixture is needed in post-traumatic epilepsy. Outpatient treatment with chlorpromazine is also indicated if the patients exhibit any change in emotional stability.

ASSOCIATION: Kafedra psikhatrii Tashkenskogo meditsinskogo instituta (Department of Psychiatry, Tashkent Institute of Medicine)

SUBMITTED: 14 Jan 63

ENCL: 00

SUB CODE: LS

NO REF SOV: 000

OTHER: 000

JPRS

Card 1/1

VEDESHKINA, V.M.

U.S.S.R.

Use of a bacterial standard in applying the thymol turbidity test to the blood of donors. V. I. Ivanov, S. I. Kuznetsov, V. M. Vedeshkina. *Izv. Akad. Nauk SSSR, Ser. Med. Biol. Nauki*, 1964, 10: 100-101. 2 refs. ~~English summary.~~ The authors examined an endotoxin-producing *Escherichia coli* strain for its ability to match with bacterial endotoxin standards. The authors found that, owing to greater similarity between the endotoxin and bacterial turbidity, donors whose blood shows more than 4 units should not be used in view of probable hepatic involvement. A. Mirkin

GRIGOR'YEV, E.P., inzh.; KUZNETSOV, V.Ye., inzh.; MAKSHEYEV,
V.G., inzh.; PETROVSKIY, A.S., inzh.; VEDESHKIN, V.I.,
tekhnik; KORABEL'NIKOV, V.V., kapitan-nastavnik;
MIKHAYLOVSKIY, Ye.V., red.

[Fisheries] Promyslovoe delo. Murmansk, Murmanskoe knizhnoe
izd-vo, 1964. 463 p. (MIRA 18:5)

IVANOV, V.I., professor; PRYADKINA, M.D.; VEDESHKINA, V.M.

Production of new forms of the vaccinal strain of *Pasteurella pestis* EV 76 following irradiation with radioactive isotopes. Med. rad. 1 no.2: 52-56 Mar-Apr '56. (MIRA 9:9)

1. Iz laboratorii osobo-opasnykh infektsii (zav.-prof. M.P. Pokrovskaya) i biokhimicheskoy laboratorii (zav. - prof. V.I. Ivanov) Gosudarstvennogo kontrol'nogo instituta vaktsin i syvorotok imeni Tarasevicha (dir. S.I. Didenko)

(*PASTEURELLA PESTIS*, effect of radiations on,
radiophosphorus, prod. of vaccinal strain EV 76 (Rus))
(*PHOSPHORUS*, radioactive,
eff. of *Pasteurella pestis*, prod. of vaccinal strain
EV 76 (Rus))

IVANOV, V.I.; VEDESHKINA, V.M.; GAVRILENKOVA, V.Yu.

Distribution of tagged antigens in animals. Zhur.mikrobiol.epid.
i immun. 27 no.5:30 My '56. (MLRA 9:8)

1. Iz Gosudarstvennogo kontrol'nogo instituta imeni Tarasevicha.
(ANTIGENS AND ANTIBODIES)

VEDESHKINA, L.A.

One approximate method of solving integral equations of the
Volterra type. Dokl.AN Uz.SSR no.11:9-14 ' 58. (MIRA 11:12)

1. Tashkentskiy gosudarstvennyy pedagogicheskiy institut imeni
Nizami. Predstavleno akademikom AN UzSSR T.N. Kary-Miyazovym.
(Integral equations)

I. 2645-66 EWT(d)/EWP(v)/EWP(k)/EWP(h)/EWP(l) IJP(c) GG/BB

ACCESSION NR: AP5025743

UR/0286/65/000/018/0091/0092
681.142-523.8

AUTHOR: Vedeshnikov, V. A.; Volkov, A. F.; Zenkin, V. D.; Trapeznikov, V. A.;
Turkovskaya, T. A.

TITLE: A digital computer with programmed circuit control. Class 42, No. 174844

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 18, 1965, 91-92

TOPIC TAGS: digital computer, automatic computer programming, self adaptive control

ABSTRACT: This Author Certificate introduces a digital computer with programmed circuit monitoring. The unit contains a control counter, instruction memory, instruction readout amplifier, instruction register, operation decoder, central control unit, control pulse amplifiers, arithmetic unit, working storage, and an input output device. The installation is designed for automatically and accurately finding elements that fail. The computer contains a microoperation zone decoder and a pilot signal shaper which are connected together and to the readout amplifiers for the instruction memory. The outputs from the pilot signal shaper are connected to the central control unit, the local control unit, and the control signal amplifier

Card 1/3

L 2645-66

ACCESSION NR: AP5025743

unit. The computer also contains a microcontrol unit which is connected to the central control unit and to the control signal amplifiers, and a device for recording the point of failure, which is connected to the instruction memory readout amplifiers. A modification of this computer is designed for transition from macrooperation to microoperation conditions to improve the resolution of diagnostic tests. The microcontrol unit in this computer contains the first gate for interpretation of operating conditions. The inputs to this gate are connected respectively to the unit for sampling commands from the instruction memory and to the flip-flop for storage of operating conditions. The output from this flip-flop is connected to a delay circuit through gates which are connected to the outputs from the microoperation zone decoders which correspond to microoperations for setting the flip-flops of the computer. The delay circuit is connected through a gating assembly to the outputs from the control signal amplifiers. The output from the delay circuit is connected to the input of the instruction sampler. The second gate for interpretation of operating instructions is connected to the input of the delay circuit. The inputs to this gate are connected respectively to the instruction sampler and to the inverse output from the flip-flop for storage of operating conditions through the gate for transition from macrocontrol to microcontrol conditions. The output from the delay circuit is connected in parallel with the output from the first gate for

Card 2/3.

L 2645-66

ACCESSION NR: AP5025743

2

interpretation of operating conditions. In a second modification of this computer, the number of points which can be monitored is increased by using an input register in the microoperation zone decoder. This register is connected to the decoder, and the outputs from the decoder are connected to the control points. In a third modification of this computer, indication of a point of failure is simplified by using an input register in the failure indicator with binary-digital code for the number of the non-operative element. This register is connected to decimal indicators through a decoder which converts the register code into decimal positional notation. A fourth modification of this computer is designed for automatically and accurately locating points of failure. The pilot signal shaper in this computer contains gates with inputs connected respectively to the microoperation zone decoder and to the readout amplifiers for the instruction memory. The outputs from these gates are connected to the elements to be monitored. [14]

ASSOCIATION: Institut avtomatiki i telemekhaniki (Institute of Automation and Telemechanics)

SUBMITTED: 27Jun64

ENCL: 00

SUB CODE: DP

NO REF SOV: 000

OTHER: 000

ATD PRESS: 4/24

Card 3/3 *RP*

VEDFY, Geza, dr., orvos (Nagykoros)

Cell and virus. Term tud kozl 5 no.2:73-75 F '61.

VEDFY, Geza; ALEXANDER, Gabor

Chromatography at home. Elet tud 17 no.40:1273-1274 7 0 '62.

VEDIBEDA, D. K.

VEDIBEDA, D. K. -- "Conditions for the Disinfection of Feces Using Dry Lime Chloride in Intestinal Infections." Kiev Order of Labor Red Banner Medical Inst imeni Academician A. A. Bogomolets. Kiev, 1955. (Dissertation for the Degree of Candidate of Medical Sciences.)

SO: Knizhnaya letopis', No. 4, Moscow, 1956

VEDIBEDA, D.K.

Disinfection of feces by calcium hypochlorite. Vrach.delo
supplement '57:70-71 (MIRA 11:3)

1. Kafedra mikrobiologii (zav.-prof. S.S.Rechmenskiy) Kiyevskogo
instituta usovershenstvovaniya vrachey.
(CALCIUM HYPOCHLORITE) (FECES--DISINFECTION)

VEDIBEDA, D.K.

Disinfection of air by aerosols of essential oils. G1g. 1 san.
23 no.8:80 Ag '58 (MIRA 11:9)

1. Iz Kiyevskogo instituta usovershenstvovaniya vrachey.
(STAPHYLOCOCCUS ALBUS)
(ESSENCES AND ESSENTIAL OILS)

VEDIBEDA, D.K., kand.med.nauk

Accelerated method for disinfecting bedpans. Voen.-med.
zhur. no.4:82 Ap '61. (MIRA 15:6)
(BEDPANS--STERILIZATION)

VEDIBEDA, D.K.

Effect of sublethal doses of ionizing radiation on the morphological and biological properties of staphylococcus. Zhur.mikrobiol. epid.i immun. 32 no.4:142-143 Ap '61. (MIRA 14:6)

1. Iz Kiyevskogo instituta epidemiologii i mikrobiologii.
(RADIATION—PHYSIOLOGICAL EFFECT) (STAPHYLOCOCCUS)

VEDICH, M.; KRATCCHVIL, L.

Improving the manufacturing process of lecithin by a deodorization process
and by introducing K. Fischer's method for water determination. p. 18

PRUMYSL POTRAVIN. (Ministerstvo potravinarskyho prumyslu) Praha, Czechoslovakia
Vol. 10, no. 1, Jan. 1959

Monthly List of East European Accessions (EEAI), LV, Vol. 8, no. 7, July 1959
Uncl.

VEDICH, M. MASEK, J.

Shaping stored butter into blocks. p. 291.

(Prumysl Potravin. Vol. 8, no. 6, 1957. Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 10, October 1957. Uncl.

VEDICH, M.; VAXA, V.; MASKE, J.

Defects in butter and their elimination. p.49

PRUMYSL POTRAVIN. (Ministerstvo potravinarskeho prumyslu) Praha

Vol. 6, no. 1, 1955

East European Accessions List

Vol. 5 No. 1

Jan. 1956

VEDIKHOV, V.I.

Results of the Eighth All-Union contest in power economy.

Energetik 2 no.2:36-37 P '54.

(MLRA 7:4)

(Power engineering)

SHATELEN, M. A., ZALESSKIY, A. M., LEBEDEV, V. F.,
ZHERBIN, S. M., ARKHANGEL'SKIY, F. K., BAUMGOL'TS, A. I.,
ZOLOTAREV, T. L., BUSHUYEV, M. N., PROSKURYAKOV, V., GURVICH, A. M.,
YES'MAN, A. I., SHVETS, F. T., KONDRAT'YEV, G. M., USOV, S. V.,
ALEKSEYEV, A. YE., BOLOTOV, V. V., TIKHOMYEV, I. M., GERASIMOV, N. V.,
MELENT'YEV, L. A., LEVIT, G. O., ORLOVSKIY, A. V., VEDIKHOV, V. M.,
STRIKOVICH, M. A., GREYNER, L. K., NIKIFOROV, V. V., SOLODOVNIKOV, G. S.,
SMIRNOV, S. P., ZOLOTAREVA, N. A., KALEKINA, N. M., GOL'DMERSHTEYN, T. L.,
KLEBANOV, L. D., SALUYEV, N. F., ZAICO, A. A., MARTEKS, M. F.

A. S. Rumyantsev, Obituary. Elektrichestvo, No. 2, 1952.

SO: Monthly List of Russian Accessions, Library of Congress, July 1952 6656, Uncl.

LAZARIS, A.Ya.; ZIL'BERMAN, Ye.N.; LUNICHEVA, E.V.; VEDIN, A.M.

Study of the formation of by-products during hydrogenation of
adiponitrile. Zhur. prikl. khim. 38 no.5:1097-1101 My '65.
(MIRA 18:11)

VEDIN, Vs.

Citizens of Kiev become acquainted with Yugoslav manufactures.

Vnesh. torg. 43 no.9:10-11 '63.

(MIRA 16:10)

VEDISHCHEV, A.I.

"Transportation and the distribution of industry." E.D. Khanukov.

Reviewed by A.I. Vedishchev. Izv.AN SSSR.Ser.geog. no.3:143-145

My-Je '56.

(MLBA 9:11)

(Transportation) (Khanukov, E.D.)

AUTHOR: Vedishchev, A.I. SOV/10-58-5-22/28

TITLE: New Sources for the Economic-Geographical Study of the Country (Novyye istochniki ekonomiko-geograficheskogo izucheniya strany)

PERIODICAL: Izvestiya Akademii nauk SSSR - Seriya geograficheskaya, 1958, Nr 5, pp 136-139 (USSR)

ABSTRACT: Sovnarkhozes recently started the publication of new periodicals in the form of technical economic information bulletins, which deal with problems of technical progress in industry, and with the dissemination of latest experience. Brief information is given on a series of subjects which are treated in such bulletins issued by different sovnarkhozes.

Card 1/1

VEDISHCHEV, Aleksey Ivanovich, kand.ekon.nauk; KUZNETSOV, P.V., red.;
PONOMAREVA, A.A., tekhn.red.

[What will be built and where during the period 1959-1965]
Chto i gde budet postroeno v 1959-1965 godakh. Moskva, Gos-
planizdat, 1959. 76 p. (MIRA 12:5)
(Russia--Economic policy)

AM4027869

BOOK EXPLOITATION

S/

Vedishchev, Aleksey Ivanovich

Problems in the distribution of the productive forces of the U.S.S.R.
(Problemy* razmeshcheniya proizvoditel'ny*kh sil SSSR). Moscow,
Ekonomizdat, 63. 0278 p. illus., biblio., maps. Errata slip
inserted. 20,350 copies printed.

TOPIC TAGS: economy, economic planning, electricity, transport,
division of labor, distribution of production, chemical industry,
metallurgical industry, transportation, electrification

PURPOSE AND COVERAGE: The book contains a popular description of
the main practical problems in the development, and more rational
placement, of production forces, solved by the Soviet regime. Using
extensive factual material, the author deals with the main features
of the present distribution of production capacity, problems of ter-
ritorial distribution of the labor force electricity, oil, gas,

Card- 1/3.

AL4027389

chemical industry, metallurgical industry, and manufacture of consumer goods. Much space is devoted to specialization and comprehensive development of the economy of large regions in the USSR. Ways are considered for accelerated development of the economy of the eastern zone of the USSR and for producing a unified transport system in the USSR. The book is intended for propagandists, students, secondary school teachers, listeners to the party-enlightenment network and to the active membership of the party organizations.

TABLE OF CONTENTS [abridged]:

- I. Construction of material-technical base of communism and distribution of productive forces - - 3
- II. Problems in rational distribution of population - - 20
- III. Electrification of the entire country as basis of development and rational distribution of productive forces - - 40
- IV. Heavy chemistry - - 82

Card 2/3

AM4027869

- V. New metallurgy bases - - 104
- VI. More rational distribution of manufacture of consumers goods - -
120
- VII. New commercial units - - 133
- VIII. Specialization and comprehensive development of economic
regions - - 147
- IX. Division of labor between the European eastern zones of the
SSSR - - 237
- X. Production of unified transport system in the SSSR and improve-
ment of production-territorial communications - - 252
- Literature - - 276

SUB CODE: GO

SUBMITTED: 12Jul63

NR REF SOV: 075

OTHER: 000

DATE ACQ: 20Mar64

Card 1 3/3

VEDISHCHEV, Aleksey Ivanovich, kand.ekonom.nauk; KUZNETSOV, P.V., red.;
PONOMAREVA, A.A., tekhn.red.

[What is to be built and where during the seven-year plan; main trends in the distribution of industries in the U.S.S.R.] Chto i gde budet postroeno v semiletii; osnovnye napravleniia v razmeshchenii promyshlennosti SSSR. Izd.2., perer. i dop. Moskva, Gosplanizdat, 1960. 167 p. (MIRA 13:9)
(Russia--Industries)

VEDISHCHEV, A.

Problems of the economic regionalization of the U.S.S.R. Vop. ekon.
no.2:25-35 F '60. (MIRA 13:1)

(Economic zoning)

VEDISHCHEV, Aleksey Ivanovich; BOBYLEVA, L.V., red.; PONOMAREVA,
A.A., tekhn. red.

[Problems in the distribution of the productive forces of
the U.S.S.R.] Problemy razmeshcheniia proizvoditel'nykh
sil SSSR. Moskva, Ekonomizdat, 1963. 278 p.

(MIRA 16:12)

(Russia--Economic policy)

LIPOVETSKIY, A.Ya.; DANYUSHEVSKIY, V.S.; VEDISHCHEV, I.A.

Study of the effect of flowing salt solutions on the permeability of cement stone. Izv. vys. ucheb. zav.; neft' i gaz 5 no.1:23-28 '62. (MIRA 16:11)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti imeni akademika I.M. Gubkina.

LIPOVETSKIY, A.Ya.; DANYUSHEVSKIY, V.S.; VEDISHCHEV, I.A.

Studying the hardening of cement slurries. Trudy MINKHIGP no.40:125-132
'63. (MIRA 16:4)

(Oil well drilling fluids)

^{en}
VEDISHEV, S. A.
A

VEDISHEV, S. A. -- "Purified and Mannin-Precipitated Scarlet Fever
Toxin." Sub 26 Jun 52, Acad Med Sci U' SR. (Dissertation for the
Degree of Candidate in Medical Sciences).

SO: Vechernaya Moskva January-December 1952

ZHDANOV, M.M.; KOSTRYUKOV, G.V.; ASFANDIYAROV, Kh.A.; MAKSUTOV, R.A.;
KONDAKOV, A.N.; TURUSOV, V.M.; SILIN, V.A.; PILYUTSKIY, O.V.;
SHELDYBAYEV, B.F.; PETROV, A.A.; SMIRNOV, Yu.S.; KOLESNIYOV,
A.Ye.; DROZDOV, I.P.; IVANTSOV, O.M.; TSYGANOV, B.Ya.;
KORMONOGOV, A.P.; VDOVIN, K.I.; ALEKSEYEV, L.A.; GAYDUKOV, D.T.;
LIPONETSKIY, A.Ya.; DANYUSHEVSKIY, V.S.; VEDISHCHEV, I.A.;
ALEKSEYEV, L.G.; KRASYUK, A.D.; IVANOV, G.A.

Author's communications. Neft. i gaz. prom. no.2:67-68
Ap-Je '64. (MIRA 17:9)

APANOVICH, Yu.G.; VEDISHCHEV, I.V.; DANYUSHEVSKIY, V.S.; LIPOVETSKIY, A.Ya.;
LIPSON, E.A.; TOLSTYKH, I.F.; KHAKHAYEV, B.N.; TARNAVSKIY, A.P.

Cementing and lowering the second intermediate string-liner into
the deep Aral-Sor well No.1. Burenis no.2:26-27 '65.

(MIRA 18:5)

1. Trest "Ural'skneftegazrazvedka" i Moskovskiy ordena Trudovogo
Krasnogo Znameni institut neftekhimicheskoy i gazovoy promyshlen-
nosti im. akademika Gubkina.

VEDISHCHEV, S.A.

Device for measuring infectious and toxic liquids with pipettes.
Lab. delo 3 no.2:56-58 Mr-Ap '57 (MLRA 10:5)
(MEDICAL LABORATORIES--APPARATUS AND SUPPLIES)

LAZOVSKIY, V.A.; NOVIKOV, A.N.; VED'KALOV, I.A.; MIRONOV, M.P.

Guniting open-hearth furnaces at the Izhora Plant. Stal' 25
no.4:322-324 Ap '65. (MIRA 18:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy i proyektnyy institut
ogneuporov i Izhorskiy mashinostroitel'nyy zavod.

VEL'DESHI, F.A. [Vedlesy, F.] (Budapesht)

Hypnotherapy in disorders of organic and psychic origin in adolescents.
Zhur. nevr. i psikh. 65 no.7:1097-1099 '65. (MIRA 18:7)

VELLICH, V.; KASEY, J.

"Suggestions for a new type of mechanized manufacture of butter."

PRUMYSL POTRAVIN. Praha, Czechoslovakia. Vol. 6, no. 10, 1955

Monthly list of East European Accessions (MEAI), IC, Vol. 2, No. 6, Jun 59, Unclas

VEDLICH, M.; VASEK, J.; RMAZ, V.; STAMICH, K.

Construction of propagative stations as a precondition of high-quality starters. p. 310. PRUMYSL POTRAVIN. (Ministerstvo potravinarskeho prumyslu) Praha. Vol. 7, no. 7, 1956.

SOURCE: East European Accessions List, (EEAL), Library of Congress, Vol. 5, no. 12, December 1956.

CZECHOSLOVAKIA/Chemical Technology. Chemical Products H
and Their Uses. Part III. Food Industry.

Abs Jour : Ref Zhur-Khimiya, No 15, 1958, 51893

Author : Knez, V., Masek, J., Vedlich, M.,
Stadler, K.

Inst : -

Title : Construction of a Plant for the Production
of High Quality Ferments for Application
in the Milk Industry.

Orig Pub : Prunysl potraviny, 1957, 7, No 7, 310-313

Abstract : The quality of ferments depends not only
on the quality of the milk used, but also
on the purity of the bacterial cultures.
One must sterilize milk at 90-95° for 30
minutes while stirring, prior to the cul-
ture inoculation. Subsequently, the steri-

Card : 1/2

VEDLICH, Miloslav; CERNA, Eva, inz.

Cream acceptance test in district dairies, ~~Prum~~ potravín
15 no. 6:267-271 Je '64.

1. Institute of Dairy Research, Prague.

CZECHOSLOVAKIA/Chemical Technology. Chemical Products H
and Their Uses. Part III. Food Industry.

Abs Jour : Ref Zhur-Khiniya, No 15, 1958, 51932

Author : Masek, Jaroslav; Vedlich, Miloslav

Inst : -

Title : Automation of Plants for Bacterial Cultivation in Milk Processing Facilities.

Orig Pub : Prunysl potraviny, 1957, 8, No 3, 160-161

Abstract : An automated plant for the cultivation of sour milk bacterias was described. An automatic device signals the attainment of a given temperature upon milk pasteurization, and also of the temperature at which the mother-liquor of the culture should be introduced. Such an arrangement

Card : 1/2

VEDLICH, M.

Report on the Swedish dairy industry. (Supplement) p.1.
(Prumysl Potravin, Vol. 8, No. 5, 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 9, Sept. 1957. Uncl.

Country : CZECHOSLOVAKIA
Category : Chemical Technology. Chemical Products (Part 3).
Pool Industry
Abs. Jour. : *Acta Zdravotn.*, 1957, No 7, 252-255
Author : Knez, V.; Dedek, H.; Vodlich, H.
Instit. : -
Title : Washing and Disinfection of Equipment Used in
Enterprises of the Dairy Industry
Orig. Pub. : *Trumysl potravin*, 1957, 8, No 10, 547-551
Abstract : A survey of the existing methods and a descrip-
tion of the proposed method are given. A scheme
is attached.

Card: 1/1

VEDLICH, M.; KNEZ, V.; DEDEK, M.

"A draft of mechanized and nearly automatized curd-production lines." p. 241

PRUMYSL POTRAVIN. Praha, Czechoslovakia, Vol. 9, No. 5, May, 1958

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September, 1959
Unclas

KRATOCHVIL, Lubomir, inz., CSc.; VEDLICH, Miloslav

Storing butter made in continuous churns in retail trade packages.
Prum potravin 14 no.8:400-406 Ag '63.

1. Vyzkumny ustav mlekarensky, Praha.

VEDLICH, M.

Country	: GDR	H-28
Category	: Chemical Technology. Chemical Products and Their Applications. -- Food Industry.	
Abstr. Jour.	: R. Zh. - Khim., No. 11, 1959	40540
Author	: Kratochvil, L. and <u>Vedlich, M.</u>	
Institut.	: Not given	
Title	: Fat Losses in Buttermilk with Various Types of Cream Pasteurization Procedures	
Orig Pub.	: Milchwissenschaft, 12, No 10, 394-397 (1957)	
Abstract	: The authors report on semiplant scale comparison tests on the pasteurization of milk in film pasteurizers (FP) and drum pasteurizers (DP). It has been found that the fat content in the buttermilk obtained from the cream pasteurized in DP on the average is 0.25% higher than that in buttermilk from FP processed cream. Similar plant scale tests have shown a difference of 0.20%. Investigations of the fat globule diameters have shown that DP processed cream contains a considerable proportion of globules with diameters of under 1.6 microns. DP processing results in a partial disintegration of the fat	

Card: 1/2

Country : GDR
Category : Chemical Technology. Chemical Products and Their Applications. -- Food Industry.
Abs. Jour. : R. Zh. - Khim., No. 11, 1959

H-28

40540

Author :
Institut. :
Title :

Orig. Pub. :

Abstract : globules in the cream which results in an increase
in the fat losses incurred in the buttermilk.
A. Godel

Card: 2/2

H-152

KRATOCHVIL, Lubomir, inz., CSc.; VEDLICH, Miloslav

Effect of the cream temperature and other factors on the consistency of butter. Prum potravin 14 no. 12:626-628 D '63.

1. Vyzkumny ustav mlekarensky, Praha.

STIES, Bohumil, inz., CSc.; VEDLICH, Miloslav

International rules for classification of butter. Prum
potravin 14 no. 12:633-635 D '63.

1. Vyzkumny ustav mlekarensky, Praha.

CZECHOSLOVAKIA / Chemical Technology, Chemical Prod- H
ucts and Their Application, Part 3. -
Food Industry.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 62703.

Author : Miloslav Vedlich, Miroslav Dedek.

Inst : ~~Not~~ given.

Title : For a Higher Efficiency of Continuous Butter
Production.

Orig Pub: Prumysl potravin, 1958, 9, No 2, 62 - 64.

Abstract: Conditions of, and grounds for, establishing
continuous butter production in Czechoslo-
vakia are discussed.

Card 1/1

27

KRATOCHVIL, Lubomir, inz., Sc.C.; ~~VEDLICH~~, Miloslav

Churning butter from stored cream. Prum potravin 13 no.9:473-479
S '62.

1. Vyzkumny ustav mlekarensky, Praha.

KRATOCHVIL, Lubomir, inz.; VEDLICH, Miloslav

Controlling the water content in butter in the continuous
production of the Czechoslovak 4 MVC churn. Prum potravin
14 no.5:257-261 My '63.

1. Vyzkumny ustav mlekarensky, Praha.

VEDLICH, Miloslav

Manufacturing unwashed butter. Prum potravin 15 no.10:491-496
0 '64.

1. Research Institute of Dairy Research, Prague.

CERNA, Eva, inz.; VEDLICH, Miloslav

Results of the Fuscona pH-meter tests. Prum potravln 15
no.9436-439 S '64.

1. Institute of Dairy Research, Prague.

VEDLIN, B.

The new pressure pipe at the Koste Hydro-electric Plant, p. 560.

TEHNIKA (Savez inženjera i tehincara Jugoslavije) Beograd, Yugoslavia.
Vol. 14, no. 4, Apr. 1959

Monthly List of East European Accession EEAI LC, Vol. 8, no. 6, June 1959
Uncla.

344

AUTHOR: Vedmed, I.V., Candidate of Technical Sciences.

TITLE: Conditions of compactness of air pre-heaters with an intermediate heat carrier. (Usloviya kompaktnosti vozdukhopodogrevatelei s promezhutochnym teplonositelem.)

PERIODICAL: "Energomashinostroenie" (Power Machinery Construction), 1957, No. 3, pp. 12 - 15, (U.S.S.R.)

ABSTRACT: The possibility of application in open cycle gas turbine plant of air pre-heaters with an intermediate heat carrier medium is considered and it is shown that, by using an intermediate heat carrier medium, it would be possible to reduce by 2 - 6 times the volume occupied by the heating surfaces. The author considers it advisable to specify a higher degree of regeneration for heat exchangers which have a higher heat transfer coefficient. Reduction of the dimensions of air pre-heaters could be achieved by using intermediate heat carriers with heat transfer coefficients above 1 000 to 2 000 kcal/m² hour °C and compact heating surfaces, with large areas (ribbed, etc.), with small dimensions on the gas side. The equations are derived on the basis of the simplified assumption that the water equivalents of the gases, of the air and of the intermediate heat carrier are equal. As intermediate heat carriers, the author considers certain silicon organic compounds (for temperatures up to 430 °C) suitable and gives data for tetra-cresyl oxysilane, and also liquid metals, for instance, Al - Ga alloys, stating that alloys containing

Conditions of compactness of air pre-heaters with an³⁴⁴
intermediate heat carrier. (Cont.)

13% Ga and 87% Al melt at 26.3 °C.

1 sketch and 2 graphs. 2 Russian, 3 American and 1 German
reference.

VEDMED¹, I.V., kand.tekhn.nauk; KULESHOV, V.P., inzh.; ROMBRO, B.N., inzh.

Experimental testing of a throttle wetting system.

Energomashinostroenie 8 no.1:41-44 Ja '62.

(MIRA 15:3)

(Condensers (Steam))

V

Country : USSR
Category: Pharmacology. Toxicology Adrenergic Agents.

Abs Jour: RZhBiol., No 6, 1959, No 277⁴⁴

Author : Vedmedenko, A.T.

Inst : -

Title : A New Native Mydriatic.

Orig Pub: Oftal'mol. zh., 1957, No 8, 501-502

Abstract: The action of mesaton (I) was studied on puppies, then was tested on 20 patients in the 13-63 age group. After repeated instillations into the conjunctival sac of a 1% solution of I, the pupil dilated to 7-8 mm after 15-20 min., intraocular pressure either did not change or decreased by 2-3 mm of mercury column. Paresis of accommodation lasted 5-6 hours. The action of I was easily removed by

Card : 1/2

V-17

V

Country : USSR

Category: Pharmacology. Toxicology. Adrenergic Agents.

Abs Jour: RZhBiol., No 6, 1959, No 27744

myotics. Neither subjective nor objective side effects were discovered. The author recommends conducting tests of I on a large scale. - M.G. Rabinovich

Card : 2/2

VEDMEDENKO, A.T., vrach

A case from practice. Oft. zhur. 14 no.2:123-124 '59

(MIRA 12:7)

1. Iz Cherkasskoy oblastnoy bol'nitsy.
(EYE--SURGERY) (TISSUE EXTRACTS)

VEDMEDEENKO, A.T.

New medical preparations mezaton and tropacin [with summary in English].
Vest.oft. 71 no.4:37-38 J1-Ag '58 (MIRA 11:8)

1. Cherkasskaya oblastnaya bol'nitsa USSR.

(PUPILS, eff. of drugs on
phenylephrine & diphenyl acetic acid 3-tropyl ester,
mydriatic eff. in dogs (Rus))

(INTRAOCULAR PRESSURE, eff. of drugs on
phenylephrine & diphenyl acetic acid 3-tropyl ester in
dogs (Rus))

(PHENYLEPHRINE, eff.
on intraocular pressure & pupil dilatation in dogs (Rus))

(ACETIC ACID, related cpds.
diphenyl acetic acid 3-tropyl ester, eff. (Rus))

EXCERPTA MEDICA Sec 12 Vol 13/6 Ophthalmology June 59

1014. CERTAIN REMARKS ON THE NEW DRUGS TROPACIN AND MESATON
(Russian text) - Vedmedenko A. T. - VESTN. OFTALM. 1958 4(37-38)
The study of new drugs promotes their wider introduction into clinical practice.
Soviet drugs - 'mesaton' and 'tropacin' - were tested, both on experimental animals and in the clinic. The effects of a 1% solution of 'mesaton' on the size of the pupil and intraocular tension were investigated. Results: a 1% 'mesaton' solution causes dilatation of the pupil up to 7-8 mm. after repeated instillations during 2-3 min. This dilatation is retained for 5-6 hr. Intraocular pressure remains normal or is decreased to a certain extent (2-3 mm. Hg). 1-3-5% solutions of 'tropacin' cause late dilatation of the pupil (after 2-3 hr.), which is retained up to 48 hr. This solution has an irritating effect on the conjunctiva and cornea. The author recommends a 1% solution of 'mesaton' for dilatation of the pupil in out-patient departments and in the hospital. 'Tropacin' is not recommended for that purpose.

VEDMEDENKO, A.T., vrach

Case of atypical keratitis filamentosa. Oft.zhur. 15 no.2:116-117
'60. (MIRA 13:5)

1. Iz Cherkasskoy oblastnoy bol'nitsy.
(CORNEA--DISEASES)

VEDMEDENKO, A.T., vrach

Regenerative properties of seabuckthorn oil. Oft. zhur. 14 no.1:
48-49 '59. (MIRA 12:6)

1. Cherkasskaya oblastnaya bol'nitsa.
(SEABUCKTHORN--THERAPEUTIC USE)

VEDMEDENKO, A.T.

New surgical method in ectropion of the lower lid. Vest. oft. 34
no. 4: 35-36 J1-Ag '55. (MLRA 8:10)

1. Iz Kaz-Maydanskoy bol'nitsy Kochelayevskogo rayona Mordovskoy
ASSR

(ECTROPION, surgery, technic)

VEDMEDENKO, G.D.

Introducing the IPS-1-2 semiautomatic machine for insulating
stator grooves of electric motors. Biol.tekh.-ekon.inform.
Gos.nauch.-issl.inst.nauch.i tekhn.inform. no.8:31-33 Ag '65.
(MIRA 18:12)

PANCHENKO, I.D., kand. tekhn. nauk; VEDMID', M.P., kand. tokhn. nauk;
NATANZON, I.I., kand. tekhn. nauk, red.; KOSOVSKIY, V.A.
[Kosovs'kyi, V.A.], red.; KVITKA, S.P., tekhn. red.

[Temperature conditions of a lubrication system and their
regulation] Temperaturnyi rezhym systemy mashchennia ta ioho
reguliuвання. Kyiv, Vyd-vo Ukr. Akad. sil's'kohospodars'kykh
nauk, 1961. 146 p. (MIRA 15:4)
(Tractors—Lubrication)

VEDMIDSKIY, A

M

N/5
744.22
.V4

Tekhnologiya Proizvodstva Izmeritel'nykh Proborov (Technology of the
Production of Measuring Instruments) Moskva, Mashgiz, 1950-
v. Diagr., Tables.
Includes Bibliographies.
Lib. has: v.1 (AB 520652)

VEDMIDSKIY, A.M.

Regulation of the precision and property of lapped cylindrical surfaces. Standartizatsiia 28 no.2:11-15 F '64.
(MIRA 17:3)

VEDMIDSKIY, A. M.

MEASURING INSTRUMENTS

"Production technology of measuring instruments." A. M. Vedmidskiy. Re-viewed by Docent K. P. Stayev, I. Ye. Gorodetskiy. Vest. mash. 32 no. 4, 1952.

9. Monthly List of Russian Accessions, Library of Congress, October 1951² Uncl.

VEDMIDSKIY, A.M.

Using plastics in manufacturing measuring instruments and automatic
devices. Izv.tekh. no.2:1-3 P '60. (MIRA 13:6)
(Plastics) (Instrument manufacture)

BOV/2438

Источники: 1. Техническая и экономическая характеристика оборудования, до 2 (Инженерная и конструкторская документация по безопасности; Университетская Коллекция, No. 2) Москва, Машгиз, 1960. 542 с. Фото альб. inserted, 5,000 copies printed.

[illegible]

personal dealing with problems of interchangeability and engineering environment in the machine and instrument industries.

Novikova, G.I. (Candidate of Technical Sciences), and N.Y. Novikov (Engineer). Optical Remote Measuring Method for Large Parts

Variables, 2.8. New Methods for Checking the Microprocessors

ADDITIONALLY, WITH (Case/Case of Technical Science). Use of
this interference in Precision Measurements of Gravitational Scale
end of Length Scales

W. J. O. K. Aspirant. New Optical-Mechanical Instrument for
Measuring the

06:00-07:00, U.S. (Candidate of Technical Sciences). Synthesis of
Aspirin According to Accuracy Specifications

TEMPERATURE ERRORS IN INSTRUMENTS WITH HYDRAULIC

1. J. J. VanDyke et al. (Technical Sciences, Dozent). Analysis of the Characteristics of Surface Roughness

Improvement of Accuracy in Finishing of Parts on Machine Tools with Lapping Wheels

Elizaveta A. (Candidate of Technical Sciences, Doctor), and
A. A. Sivina (Engineer). Methods of Engineering Quality Control
in Machine Construction

Methods for Measuring the Dimensions of Crystals in [Free] Atomization

SECTION III. AUTOMATION OF CONTROL

Enay, A.E. [Candidate of Technical Sciences, Docent]. Methods for
Investigation of Automatic Machine Tools and Transfer Machines
[in Russian]. Moscow: Mashinostroyeniye, 1977. 152 p. 150,000 rub.

Technical Sciences, Doctor). Use of Feedback Control in the Automation of Grinding Operation

System of Setting Adjustment of Machine Tools by Using an Adjustable Generator Stop

A.D. K. Frensch. Replacement of Springs by Load in Feedback

Use of Optical Interference of ("Passive")

Y. A. and A. M. Chertovskih [Senior Instructor].
The Role of Methods of Feedback Displacement Control

25(

S/115/60/000/02/001/031
D002/D003

AUTHOR: Vedmidskiy, A.M.

TITLE: The Use of Plastics in the Manufacture of Measuring Instruments and Automats

PERIODICAL: Izmeritel'naya tekhnika, 1960, Nr 2, pp 1-3 (USSR)

ABSTRACT: This is a general discussion of the use of plastics in Soviet industry. At the Plenary Meeting of the TsK KPSS (Central Committee of CPSU) in June 1959, N.S. Khrushchev pointed out that the use of non-ferrous metals should be limited. Plastics are not yet widely used. In 1959, the Komitet stadartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR (The Committee of Standards, Measures and Measuring Devices at the Council of Ministers of the USSR) issued a handbook on plastics of organic origin, containing information on their characteristics and recommendations for their use. The article includes some brief digest-form information on the production

Card 1/2

S/115/60/000/02/001/031
D002/D003

The Use of Plastics in the Manufacture of Measuring Instruments
and Automats

of plastics in presses, the tools for cutting plastics, etc. It is mentioned that hydraulic presses of latest design are necessary for the production of instrument parts from plastics. The Soviet plants are producing the following presses: "PA-472A", "PV-474", and "P-476" having a nominal force of 63, 100 and 160 tons. They are provided with hydraulic ejectors, and their electric equipment is designed for semi-automatic work. The following casting machines are being manufactured: "LM-50", "LM-125", "M-500" producing parts of polymer plastics up to 500 gr. ✓

Card 2/2

VEDMIDSKIY, A.M.

Investigating the efficiency of the lapping of gauge blocks.
Izv. tekhn. no. 9:5-7 8 1981 (MIRA 14:8)
(Grinding and polishing)